

US EPA Office of Pesticide Programs Incident Data System

Specified Ingredient Incidents

Total Rows Returned : 22

Report Date & Time : 04/23/2014 7:00:20 PM GM

| PC Code : | | 068102 | | | | | | | | | | | | | |
|------------------------------|------|--|--------|--|------------|------------------------|-------------------------|-----|---------|----------------|-----------------------|---------------------------------|--------------------------|-----------------------------|-----------------------------|
| Ingredient Name : | | All | | | | | | | | | | | | | |
| Exposure Severity Code : | | All | | | | | Single Ingredient Only: | | No | | Incident Date Period: | | 01/01/1997 To 03/21/2014 | | |
| Word in Package Description: | | All | | | | | | | | | | | | | |
| Package and Report # | Pg # | Package Description | Status | Submitter | Inc. Date | City | County | St. | Country | Exp. Sev. Code | PC Code | Ingredient Name | Registration # | Product Name | Registrant |
| 005735-00001 | 1 | Busan 1256wb added to water pipeline, got into man's eyes, up nostril, on neck & arms. Washed off, but had burning irritation in nostril. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 06/30/1997 | | | | | H | 068102 | Methylenebis (thiocyanate) | | BUSAN 1265WB | BUCKMAN LABS. INTERNATIONAL |
| 007840-00001 | 1 | Updates I006831. H-C: Product correction-Busan 1009 dermal contact on tongue. one drop. no indication of ingestion. flushed w/water. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 01/28/1997 | INDIA | | | IY | HC | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1009 | BUCKMAN LABORATORIES INC |
| 008436-00001 | 1 | H-C: Mill had an open fire burning saw dust from under saw benches,around the dip tank & dry areas. Worker sore throat/eyes, uncontrolled shaking. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 02/15/1999 | QUEENS LAND, AUSTRALIA | NEW SOUTH WALES | | AU | HC | 068102 | Methylene bis thiocyanate (10%) | | BUSAN SAPSTAIN PREVENTATIVE | |
| 008836-00003 | 2 | Derusto-Woodlife: LOOK BACK: a) H-A, Lawsuit,Acute myelogenous leukemia. b) H-B, Lawsuit, Progressive degenerative movement disorder. c) H-D, Blisters | N | WEIL, GOTSHAL & MANGES LLP (FOR DAP INC. [DERUSTO-WOODLIFE]) | 05/01/1999 | TIPP CITY | | OH | US | HD | 068102 | Methylenebis (thiocyanate) | 001409-00058 | WOODLIFE PREMIUM | DERUSTO-WOODLIFE |
| 010014-00001 | 1 | Buckman: 1 H-B: sawmill worker became sick: flu, pneumonia, had stroke, now blind in one eye. OSHA case. Used rough cut lumber dip-tank solution. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 02/01/1999 | LYNCHBURG AREA | | VA | US | HB | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1009 | BUCKMAN LABORATORIES INC |
| 011119-00001 | 1 | Buckman: while cleaning paper mill bin, vapors caused skin burn, burning in lungs. OK in wk. but burning effect when close to TCMTB/MTC | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 05/24/2000 | WEST LINN | | OR | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00377 | BUSAN 1009WB | BUCKMAN LABORATORIES INC |
| 012121-00001 | 1 | Buckman Labs: Update to I011765 Agg. Report: Change from H-D to H-C: product leakage in plant. Worker now DX with Chronic irr. dermatitis (H-C). | U | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 03/19/2001 | SAMUEL CABOT PLANT | | MA | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1025 | BUCKMAN LABORATORIES INC |

US EPA Office of Pesticide Programs Incident Data System

Specified Ingredient Incidents

Total Rows Returned : 22

Report Date & Time : 04/23/2014 7:00:20 PM GM

| Package and Report # | Pg # | Package Description | Status | Submitter | Inc. Date | City | County | St. | Country | Exp. Sev. Code | PC Code | Ingredient Name | Registration # | Product Name | Registrant |
|----------------------|------|--|--------|---|------------|---------------|--------|-----|---------|----------------|---------|-----------------------------|----------------|--------------------------|-------------------------------------|
| 012237-00001 | 1 | 1 H-C: Several workers experienced respir. irrit. after an evaporative cooler was over treated with product. See also I013899-001, product uncertain | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 10/07/2001 | | | NM | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00034 | MTC-10 | BUCKMAN LABORATORIES INC |
| 012735-00001 | 1 | A German employee required intensive hospital care after acute inhalation of Tolcide MBT from a fallen drum, symptoms in rescuing foreman. | N | RHODIA INC. | 03/01/2002 | GERMANY | | | WG | HB | 068102 | Methylene bis (thiocyanate) | 033677-00001 | TOLCIDE MBT | RHODIA CONSUMER SPECIALTIES LIMITED |
| 013899-00001 | 1 | Buckman Labs: Updates I012237-001: 1-3 females devel. long term respiratory irritation: H-C. Exact product is uncertain. | U | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 10/07/2001 | | | NM | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00034 | MTC-10 | BUCKMAN LABORATORIES INC |
| 013899-00001 | 1 | Buckman Labs: Updates I012237-001: 1-3 females devel. long term respiratory irritation: H-C. Exact product is uncertain. | U | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 10/07/2001 | | | NM | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00408 | MECT-WS | BUCKMAN LABORATORIES INC |
| 015038-00001 | 1 | 100+ people suffered "reactive airway" & vocal cord dysfunction after product applied to air washer of ventilation sys. Update | U | NATIONAL JEWISH MEDICAL AND RESEARCH CENTER | 09/01/2001 | ALBUQUERQUE | | NM | US | HB | 068102 | Methylene bis (thiocyanate) | 001448-00034 | MTC-10 | BUCKMAN LABORATORIES INC |
| 015077-00001 | 1 | Buckman: a)1 H-C: dermal rash/blisters, upper & maybe lower respir. distress; b) paper mill workers complained of skin irritation | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 03/22/2004 | OREGON CITY | | OR | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUFLOC 5511 (BUSAN 1009) | BUCKMAN LABORATORIES INC |
| 015077-00002 | 2 | Buckman: a)1 H-C: dermal rash/blisters, upper & maybe lower respir. distress; b) paper mill workers complained of skin irritation | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 03/01/2003 | OREGON CITY | | OR | US | HE | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1009 | BUCKMAN LABORATORIES INC |
| 015109-00001 | 1 | 1 H-C: human rash 1 year after incident when sweating. Coolant feed equipment malfunctioned, lady exposed from roof drain leak onto her desk | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 07/29/2003 | SAN FRANCISCO | | CA | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00102 | MECT 5 | BUCKMAN LABORATORIES INC |
| 016475-00001 | 1 | 1 H-D: 2 workers welding around a unit that treats lumber with a Wood Treatment Dip, 1st & 2nd degree chem.burns exposed skin torso/legs. Congestion | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 07/06/2005 | VICKSBURG | | MS | US | HD | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1223 | BUCKMAN LABORATORIES INC |

US EPA Office of Pesticide Programs Incident Data System

Specified Ingredient Incidents

Total Rows Returned : 22

Report Date & Time : 04/23/2014 7:00:20 PM GM

| Package and Report # | Pg # | Package Description | Status | Submitter | Inc. Date | City | County | St. | Country | Exp. Sev. Code | PC Code | Ingredient Name | Registration # | Product Name | Registrant |
|----------------------|------|---|--------|--|------------|-----------------------------|--------|-----|---------|----------------|---------|-----------------------------|----------------|-----------------------------------|---------------------------|
| 017787-00001 | 1 | Buckman Labs: 1 H-B. Published article on 34 yr old industrial worker's liver, kidneys & lung failure after sweeping up MBT. Treated with MARS | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 06/01/2005 | ROSTOCK, BAD HOMBURG, GERM. | | | WG | HB | 068102 | Methylene bis (thiocyanate) | | METHYLENE BIS (THIOCYANATE) (MBT) | |
| 018905-00001 | 1 | Buchman: 1 H-C, workplace, skin irritation, burns, mill employees handling drums of Busan 888 w/o PPE in Singapore. Cap leakage when drums horizontal | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 07/06/2007 | SINGAPORE | | | SI | HC | 068102 | Methylene bis (thiocyanate) | | BUSAN 888 (SINGAPORE) | |
| 020659-00001 | 1 | Buckman Laboratories: 1 H-C, sawmill worker alleged that products have caused his knees to swell. He maintained dip chemicals for 10-11 yrs | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 03/02/2009 | | | | ZZ | HC | 068102 | Methylene bis (thiocyanate) | | BUSAN 1009 | |
| 020733-00001 | 1 | Buckman: 1 H-C, lawsuit; plaintiff alleges that use of MECT-WS and other products, caused several injuries, including lung fibrosis. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 08/01/2006 | | | | ZZ | HC | 068102 | Methylene bis (thiocyanate) | 001448-00408 | MECT-WS | BUCKMAN LABORATORIES INC |
| 022787-00001 | 1 | Rhodia Inc.: 1 H-C, worker was checking Tolcide MBT drums for lot numbers; wore respirator but had brief inhalation exposure; 30 mins after exposure, worker experienced vomiting, dizziness, nausea, soreness when breathing, sluggishness, SOB, and persistent cough. | N | RHODIA INC. | 02/04/2011 | GREENVILLE | | SC | US | HC | 068102 | Methylene bis (thiocyanate) | 033677-00001 | TOLCIDE MBT | RHODIA UK LIMITED |
| 023108-00001 | 1 | Buckman Labs: 1 H-C, workers at a paper mill experienced red, swollen, and itchy face, eye irritation, and burning skin. The mill had a trial of Busan 1009 during 5/2/11-5/10/11 while a Busan 1215 evaluation was underway. | N | BUCKMAN LABORATORIES INTERNATIONAL, INC. | 05/02/2011 | PORT HUDSON | | LA | US | HC | 068102 | Methylene bis (thiocyanate) | 001448-00081 | BUSAN 1009 | BUCKMAN LABORATORIES INC. |

| Exposure Severity Code | Description |
|------------------------|--|
| C | Contamination (soil or product) |
| D | Domestic Animal (pre 1998 reg or undetermined) |
| D1 | Drinking Water - Major |
| D2 | Drinking Water - Moderate |

US EPA Office of Pesticide Programs Incident Data System

Specified Ingredient Incidents

Total Rows Returned : 22

Report Date & Time : 04/23/2014 7:00:20 PM GM

| Exposure Severity Code | Description |
|------------------------|---|
| D3 | Drinking Water - Minor |
| DA | Domestic Animal - Fatality |
| DB | Domestic Animal - Major |
| DC | Domestic Animal - Moderate |
| DD | Domestic Animal - Minor |
| DE | Domestic Animal - Unspecified |
| E | Property Damage - Unspecified |
| EA | Property Damage - Major |
| EB | Property Damage - Moderate |
| EC | Property Damage - Minor |
| F | Other |
| G | Groundwater (pre 1998 reg or undetermined) |
| G1 | Groundwater - Major |
| G2 | Groundwater - Moderate |
| G3 | Groundwater - Minor |
| GA | Groundwater - Major (with possibly mixed types of water) |
| GB | Groundwater - Moderate (with possibly mixed types of water) |
| GC | Groundwater - Minor (with possibly mixed types of water) |
| H | Human (pre 1998 reg or undetermined) |
| HA | Human Fatality |
| HB | Human - Major |
| HC | Human - Moderate |
| HD | Human - Minor |
| HE | Human - Unspecified |
| ON | Other Nontarget |
| P | Plant Damage (pre 1998 reg or undetermined) |
| PA | Plant Damage - Major |
| PB | Plant Damage - Minor |
| S | Surface Water (pre 1998 reg or undetermined) |
| S1 | Surface Water - Major |
| S2 | Surface Water - Moderate |
| S3 | Surface Water - Minor |
| W | Wildlife (pre 1998 reg or undetermined) |
| WA | Wildlife - Major |
| WB | Wildlife - Minor |